

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,110	01/16/2004	Erling A. Freudendahl	8401.05	5004
37833 7	590 06/14/2006		EXAMINER	
LITMAN LAW OFFICES, LTD		RIVELL, JOHN A		
PO BOX 15035 CRYSTAL CITY STATION		ART UNIT	PAPER NUMBER	
ARLINGTON, VA 22215			3753	

DATE MAILED: 06/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 3753

Applicant's election with traverse of the invention of Group I, claims 1-19, in the reply filed on March 31, 2006 is acknowledged. The traversal is on the ground(s) that "Applicant contends that he should be entitled to a consideration of a reasonable number of related embodiments falling within the scope of a generic inventive concept (and that) it would appear that a search and examination of the entire application could be accomplished without a serious burden on the Examiner since the multiple embodiments identified of record would seemingly encompass a common field of search".

This is not found persuasive because these arguments appears to contend an election of species requirement, which was not proffered. The Examiner recognizes claims to distinct species contained within the elected Group I claims (e.g. claims 6 and 7 to the "ball" embodiment of figures 3, 4, etc. verses claim 8 directed to the "mushroom" embodiment of figure 7). However, as recited in claim 20, the claims requires the combination of a hydrant and backflow check valve only. As stated in the previous Office Action, the combination, as recited in claim 1 for example, does not require the details of the subcombination, as recited in claim 20 for example, for patentability.

The requirement is still deemed proper and is therefore made FINAL.

Claim 20 is thus withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on March 31, 2006.

Application/Control Number: 10/758,110

Art Unit: 3753

Claims 1-19 are allowed.

This application is in condition for allowance except for the following formal matters:

This application is in condition for allowance except for the presence of claim 20 directed to an invention non-elected with traverse in the reply filed on March 31, 2006.

A complete reply to this action must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

The prosecution of this case is closed except for consideration of the above matter.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Rivell whose telephone number is (571) 272-4918. The examiner can normally be reached on Mon.-Thur. from 6:30am-5:00pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Keasel can be reached on (571) 272-4929. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/758,110

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-14000.

Primary Examiner
Art Unit 3753

Page 4